## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. (Cancelled)
- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Cancelled)
- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Currently Amended) A safety handle for temporary attachment to a pier piling, said safety handle comprising:
- a base member constructed of a flexible sheet of material, said base member further defined as having a textured front surface and a back surface bounded by a top edge and a bottom edge with a first and second side edge, said front surface adepted to contact a piling;

a handgrip secured to said back surface, said handgrip <u>formed</u> from a first and second leg extending perpendicular to said base member with a receptacle secured therebetween, said including a receptacle sized to receive a chemiluminescent light stick, said receptacle made of a material permitting light to shine through for providing an illuminated stationary support for passengers to grasp while boarding a boat whereby said handgrip will glow in darkness;

a pair of straps connected to said base member, one said strap positioned next to said top edge of said base, a second strap positioned next to said bottom edge of said base, each strap is adapted to extend around a piling;

whereby said base member is secured to a piling by use of said straps wherein said handgrip is available for use in boarding and exiting of a boat.

## 13. (Canceled)

- 14. (Currently Amended) The safety handle according to claim 12 wherein said base member and said hand grip are plastic, said hand grip receptacle being translucent.
- 15. (Currently Amended) The safety handle according to claim 12 wherein said base member <u>is</u> and said hand grip are wood.

16. (Previously presented) The safety handle according to claim 12 wherein said base member and said handgrip are integrally formed.

## 17. (Canceled)

- 18. (Previously presented) The safety handle according to claim
  12 wherein said strap is of a length sufficient to encircle a
  piling between 6 inches and 20 inches.
- 19. (Previously presented) The safety handle according to claim 18 wherein a proximal end of each said strap is attached to said first edge of said base member with a distal end of each said strap is available for coupling to a quick release fastener coupled to said second edge after said strap is encircled around a piling.
- 20. (Previously presented) A safety handle for temporary attachment to a vertical pier piling, said safety handle comprising:
- a base member having a textured front surface and a back surface bound by a top edge and a bottom edge with a first and second side edge, said front surface adapted to contact a piling;
  - a pair of straps connected to said base member, each strap

having a proximal end attached to said first edge of said base member with a distal end of each said strap available for coupling to a quick release fastener coupled to said second edge, each said strap of a length sufficient to encircle a piling between 6 inches and 20 inches and adapted to extend around the piling;

a handgrip secured to said back surface;

whereby said base member is secured to a piling by use of said straps and said textured front surface inhibits movement of said base member once attached to a piling wherein said handgrip is available for use in boarding and exiting of a boat.

21. (Previously presented) The safety handle according to claim 20 wherein said base member and said handgrip are integrally formed.